

Current development on JAMWiki is primarily focused on maintenance rather than new features due to a lack of developer availability. If you are interested in working on JAMWiki please join the [jamwiki-devel mailing list](#).

Help:Magic words



This documentation of JAMWiki functionality is based on Mediawiki's reference at [mediawiki:Help:Magic words](#). Original content licensed in the public domain.

Magic words are strings of text that JAMWiki associates with a return value or function, such as time, site details, or page names. The documentation below captures all magic words implemented in the Mediawiki syntax; those not yet implemented by JAMWiki are highlighted in red.

There are three general types of magic words:

- **Behavior switches**: these are uppercase words surrounded by double underscores, *e.g.* `__FOO__`
- **Variables**: these are uppercase words surrounded by double braces, *e.g.* `{{FOO}}`. As such, they look a lot like [templates](#).
- **Parser functions**: these take parameters and are either of the form `{{foo: ...}}` or `{{#foo: ...}}`. See also [Help:Parser Functions](#).

Page-dependent magic words will affect or return data about the *current* page (by default), even if the word is added through a transcluded template or included system message.

Contents [hide]

- 1 Behavior switches
- 2 Variables
 - 2.1 Date and time
 - 2.2 Technical metadata
 - 2.3 Statistics
 - 2.4 Page names
 - 2.5 Namespaces
- 3 Parser functions
 - 3.1 URL data
 - 3.2 Namespaces
 - 3.3 Formatting
 - 3.4 Miscellaneous

Behavior switches [edit]

A behavior switch controls the layout or behaviour of the page and can often be used to specify desired omissions and inclusions in the content.

Word	Description	Versions
Table of contents		
<code>__NOTOC__</code>	Hides the table of contents (TOC).	0.0.1+
<code>__FORCETOC__</code>	Forces the table of content to appear at its normal position (above the first header).	0.5.0+
<code>__TOC__</code>	Places a table of contents at the word's current position (overriding <code>__NOTOC__</code>). If this is used multiple times, the table of contents will appear at the first word's position.	0.0.4+
Editing		
<code>__NOEDITSECTION__</code>	Hides the section edit links beside headings.	0.9.0+
<code>__NEWSECTIONLINK__</code>	Adds a link (" + by default) beside the "edit" tab for adding a new section on a non-talk page (see Adding a section to the end).	N/A
<code>__NONEWSECTIONLINK__</code>	Removes the link beside the "edit" tab on pages in talk namespaces.	N/A
Categories		
<code>__NOGALLERY__</code>	Used on a category page, replaces thumbnails in the category view with normal links.	N/A
<code>__HIDDENCAT__</code>	Used on a category page, hides the category from the lists of categories in its members and parent categories (there is an option in the user preferences to show them).	N/A
Language conversion		
<code>__NOCONTENTCONVERT__</code> <code>__NOCC__</code>	On wikis with language variants, don't perform any content language conversion (character and phase) in article display; for example, only show Chinese (zh) instead of variants like zh_cn, zh_tw, zh_sg, or zh_hk.	N/A
<code>__NOTITLECONVERT__</code> <code>__NOTC__</code>	On wikis with language variants, don't perform language conversion on the title (all other content is converted).	N/A



[Main Page](#)
[Recent Changes](#)
[Downloads](#)
[Bug Reports](#)
[Feedback & Questions](#)
[Sandbox](#)
[Mailing lists](#)

[All Pages](#)
[Special Pages](#)
[Upload File](#)

[Javadoc](#)
[SourceForge Page](#)
[CHANGELOG](#)
[MediaWiki](#)

Like 0

Other		
<code>__START__</code>	No effect.	N/A
<code>__END__</code>	Explicitly marks the end of the article, to prevent MediaWiki from removing trailing whitespace. Removed in 19213.	N/A
<code>__INDEX__</code>	Tell search engines to index the page (overrides <code>\$wgArticleRobotPolicies</code> , but not <code>robots.txt</code>).	N/A
<code>__NOINDEX__</code>	Tell search engines not to index the page (ie, do not list in search engines' results).	N/A
<code>__STATICREDIRECT__</code>	On redirect pages, don't allow MediaWiki to automatically update the link when someone moves a page and checks "Update any redirects that point to the original title".	N/A

Variables [edit]

Variables return information about the current page, wiki, or date. Their syntax is similar to [templates](#).

If a template name conflicts with a variable, the variable will be used (so to transclude the template `Template:PAGENAME` you would need to write `{{Template:PAGENAME}}`). In some cases, adding parameters will force the parser to invoke a template; for example, `{{CURRENTDAYNAME|x}}` transcludes `Template:CURRENTDAYNAME`, *not* the variable.

Date and time [edit]

The following variables return the current date and time in UTC.

Due to JAMWiki and browser caching, these variables frequently show when the page was *cached* rather than the current time.

The date and time magic words are formatted in the wiki content language.

Variable	Output	Description	Versions
Year			
<code>{{CURRENTYEAR}}</code>	2014	Year	0.4.0+
Month			
<code>{{CURRENTMONTH}}</code>	06	Month (zero-padded number)	0.4.0+
<code>{{CURRENTMONTHNAME}}</code>	June	Month (name)	0.4.0+
<code>{{CURRENTMONTHNAMEGEN}}</code>	<code>Template:CURRENTMONTHNAMEGEN</code>	Month (genitive form)	N/A
<code>{{CURRENTMONTHABBREV}}</code>	Jun	Month (abbreviation)	0.4.0+
Day			
<code>{{CURRENTDAY}}</code>	25	Day of the month (unpadded number)	0.4.0+
<code>{{CURRENTDAY2}}</code>	25	Day of the month (zero-padded number)	0.4.0+
<code>{{CURRENTDOW}}</code>	4	Day of the week (unpadded number)	0.4.0+
<code>{{CURRENTDAYNAME}}</code>	Wednesday	Day of the week (name)	0.4.0+
Time			
<code>{{CURRENTTIME}}</code>	20:32	Time (24-hour HH:mm format)	0.4.0+
<code>{{CURRENTHOUR}}</code>	20	Hour (24-hour zero-padded number)	0.4.0+
Other			
<code>{{CURRENTWEEK}}</code>	26	Week (number)	0.4.0+
<code>{{CURRENTTIMESTAMP}}</code>	20140625203223	YYYYMMDDHHmmss timestamp	0.4.0+

The following variables do the same as the above, but using the site's local timezone instead of user preferences and UTC:

- `{{LOCALYEAR}}`
- `{{LOCALMONTH}}`
- `{{LOCALMONTHNAME}}`
- `{{LOCALMONTHNAMEGEN}}`
- `{{LOCALMONTHABBREV}}`
- `{{LOCALDAY}}`
- `{{LOCALDAY2}}`
- `{{LOCALDOW}}`
- `{{LOCALDAYNAME}}`
- `{{LOCALTIME}}`
- `{{LOCALHOUR}}`
- `{{LOCALWEEK}}`
- `{{LOCALTIMESTAMP}}`

Technical metadata [edit]

Note: Revision variables return data about the **latest edit to the current page**, even if viewing an older version of the page.

Variable	Output	Description	Versions
Site			
<code>{{SITENAME}}</code>	JAMWiki Java Wiki Engine	The wiki's site name.	0.9.0+

<code>{{SERVER}}</code>	http://jamwiki.org	domain URL	0.7.0+
<code>{{SERVERNAME}}</code>	jamwiki.org	domain name	0.7.0+
<code>{{DIRMARK}}</code> <code>{{DIRECTIONMARK}}</code>	Template:DIRMARK Template:DIRECTIONMARK	Outputs a unicode-directional mark that matches the wiki's default language's direction (<code>&lrm</code> ; on left-to-right wikis, <code>&rlm</code> ; on right-to-left wikis), useful in text with multi-directional text.	N/A
<code>{{SCRIPTPATH}}</code>	Template:SCRIPTPATH	relative script path (<code>\$wgScriptPath</code>)	N/A
<code>{{STYLEPATH}}</code>	Template:STYLEPATH	relative style path (<code>\$wgStylePath</code>)	N/A
<code>{{CURRENTVERSION}}</code>	2.0.0	The wiki's JAMWiki version.	0.4.0+
<code>{{CONTENTLANGUAGE}}</code> <code>{{CONTENTLANG}}</code>	Template:CONTENTLANGUAGE Template:CONTENTLANG	The wiki's default interface language (<code>\$wgLanguageCode</code>)	N/A
Latest revision to current page			
<code>{{REVISIONID}}</code>	18093	Unique revision ID	0.9.0+
<code>{{REVISIONDAY}}</code>	7	Day edit was made (unpadded number)	0.4.0+
<code>{{REVISIONDAY2}}</code>	07	Day edit was made (zero-padded number)	0.4.0+
<code>{{REVISIONMONTH}}</code>	9	Month edit was made (zero-padded number as of JAMWiki 1.2, unpadded number in prior versions)	0.4.0+
<code>{{REVISIONMONTH1}}</code>	09	Month edit was made (unpadded number)	1.2+
<code>{{REVISIONYEAR}}</code>	2011	Year edit was made	0.4.0+
<code>{{REVISIONTIMESTAMP}}</code>	20110907022158	Timestamp as of time of edit	0.4.0+
<code>{{REVISIONUSER}}</code>	wrh2	The username of the user who made the most recent edit to the page, or the current user when previewing an edit	0.9.0+
<code>{{PAGESIZE:page name}}</code> <code>{{PAGESIZE:page name R}}</code>	Template:PAGESIZE:Help:Magic words Template:PAGESIZE:Help:Magic words	Returns the byte size of the specified page. Use " <code> R</code> " to get raw numbers.	N/A
<code>{{PROTECTIONLEVEL:action}}</code>	protection level	Outputs the protection level (e.g. 'autoconfirmed', 'sysop') for a given action (e.g. 'edit', 'move') on the current page or an empty string if not protected.	N/A
Affects page content			
<code>{{DISPLAYTITLE:title}}</code>		Format the current page's title header. The value must be equivalent to the default title: only capitalization changes and replacing spaces with underscores.	0.9.1+
<code>{{DEFAULTSORT:sortkey}}</code> <code>{{DEFAULTSORTKEY:sortkey}}</code> <code>{{DEFAULTCATEGORYSORT:sortkey}}</code>		Used for categorizing pages, sets a default category sort key . For example if you put <code>{{DEFAULTSORT:Smith, John}}</code> at the end of John Smith , the page would be sorted under "S" by default in categories.	N/A

Statistics [edit]

Numbers returned by these variables normally contain separators (commas or spaces, depending on the local language), but can return raw numbers with the "`:R`" flag (for example, `{{NUMBEROFPAGES}}` → 1,031 and `{{NUMBEROFPAGES:R}}` → 1,031). Use "`!R`" for magic words that require a parameter like `PAGESINCATEGORY` (for example `{{PAGESINCATEGORY:Help}}` and `{{PAGESINCATEGORY:Help|R}}`). Also applicable to `{{PAGESIZE:page name}}` above.

The number magic words are formatted in the wiki content language.

Variable	Output	Description	Versions
Entire wiki			
<code>{{NUMBEROFPAGES}}</code>	1,031	Number of wiki pages.	0.4.0+
<code>{{NUMBEROFARTICLES}}</code>	150	Number of pages in content namespaces .	0.9.0+
<code>{{NUMBEROFFILES}}</code>	725	Number of uploaded files.	0.4.0+
<code>{{NUMBEROFEDITS}}</code>	Template:NUMBEROFEDITS	Number of page edits.	N/A
<code>{{NUMBEROFVIEWS}}</code>	Template:NUMBEROFVIEWS	Number of page views. Usually useless on a wiki using caching .	N/A
<code>{{NUMBEROFUSERS}}</code>	3,225	Number of registered users.	0.4.0+

<code>{{NUMBEROFADMINS}}</code>	Template:NUMBEROFADMINS	Number of users in the <i>sysop</i> group.	N/A
<code>{{NUMBEROFACTIVEUSERS}}</code>	Template:NUMBEROFACTIVEUSERS	Number of active users, based on the criteria used in Special:Statistics .	N/A
<code>{{PAGESINCATEGORY:categoryname}}</code> <code>{{PAGESINCAT:Help}}</code>	Template:PAGESINCATEGORY:Help Template:PAGESINCAT:Help	Number of pages in the given category.	N/A
<code>{{NUMBERINGROUP:groupname}}</code> <code>{{NUMINGROUP:groupname}}</code>	Template:NUMBERINGROUP:bureaucrat Template:NUMINGROUP:bureaucrat (<code>{{NUMBERINGROUP:bureaucrat}}</code> used here)	Number of users in a specific group.	N/A
<code>{{PAGESINNS:index}}</code> <code>{{PAGESINNAMESPACE:index}}</code>	<i>not enabled</i>	Number of pages in the given namespace (replace <i>index</i> with the relevant namespace index). For instance, <code>{{PAGESINNAMESPACE:14}}</code> will output the number of category pages. <code>{{PAGESINNS:0}}</code> differs from <code>{{NUMBEROFARTICLES}}</code> in that the former includes redirects and disambiguation pages. Disabled by default, enable with \$wgAllowSlowParserFunctions .	N/A

Page names [edit]

Variable	Output	Description	Versions
<code>{{FULLPAGENAME}}</code>	Help:Magic words	Namespace and page title.	0.4.0+
<code>{{PAGENAME}}</code>	Magic words	Page title.	0.4.0+
<code>{{BASEPAGENAME}}</code>	Magic words	Page title excluding the current subpage and namespace ("Title/foo" on "Title/foo/bar"). For more complex splitting, use <code>{{#titleparts:}}</code> from the parser functions .	0.4.0+
<code>{{SUBPAGENAME}}</code>	Magic words	The subpage title ("foo" on "Title/foo").	0.4.0+
<code>{{SUBJECTPAGENAME}}</code>	Help:Magic words	The namespace and title of the associated subject page.	0.4.0+
<code>{{TALKPAGENAME}}</code>	Help comments:Magic words	The namespace and title of the associated talk page.	0.4.0+

The `{{BASEPAGENAME}}` and `{{SUBPAGENAME}}` magic words only work in namespaces that have subpages enabled. See [Manual:\\$wgNamespacesWithSubpages](#) for information on enabling subpages.

The following are equivalents encoded for use in JAMWiki URLs (i.e. spaces replaced with underscores and some characters [percent-encoded](#)):

- `{{FULLPAGENAMEE}}`
- `{{PAGENAMEE}}`
- `{{BASEPAGENAMEE}}`
- `{{SUBPAGENAMEE}}`
- `{{SUBJECTPAGENAMEE}}`
- `{{TALKPAGENAMEE}}`

With JAMWiki 1.2+ (and Mediawiki 1.15+), these can all take a parameter, allowing specification of the page to be operated on, instead of just the current page:

- `{{PAGENAME:Template:Main Page}}` → **Main Page**

⚠ Warning: Page titles containing certain characters, such as single quotes (') or asterisks *, may produce unexpected results when handled with these magic words, e.g. `{{PAGESINCATEGORY:{{PAGENAME}}}}`.

Note that `{{PAGENAME}}`, `{{PAGENAMEE}}` and `{{urlencode:}}` have distinct implementations. See [Manual:PAGENAMEE encoding](#) for details.

Namespaces [edit]

Variable	Output	Description	Versions
<code>{{NAMESPACE}}</code>	Help	Name of the page's namespace	0.4.0+
<code>{{SUBJECTSPACE}}</code> <code>{{ARTICLESPACE}}</code>	Help Help	Name of the associated content namespace	0.4.0+
<code>{{TALKSPACE}}</code>	Help comments	Name of the associated talk namespace	0.4.0+

The following are equivalents encoded for use in JAMWiki URLs (spaces replaced with underscores and some characters [percent-encoded](#)):

- `{{NAMESPACEE}}`
- `{{SUBJECTSPACEE}}`

- `{{TALKSPACE}}`

With JAMWiki 1.2+ (and Mediawiki 1.15+), these can take a page name parameter and will return the namespace of the page name parameter, instead of the current page's:

- `{{NAMESPACE:Template:Main Page}}` → **Template**
- `{{SUBJECTSPACE:Template:Main Page}}` → **Template**
- `{{TALKSPACE:Template:Main Page}}` → **Template comments**

Parser functions [edit]

Parser functions are very similar to variables, but take one or more parameters (technically, any magic word that takes a parameter is a parser function), and the name is sometimes prefixed with a hash to distinguish them from templates.

Additional parser functions are documented at [Help:Parser Functions](#).

URL data [edit]

Parser function	Input → Output	Description	Versions
<code>{{localurl:page name}}</code> <code>{{localurl:page name query_string}}</code>	<code>{{localurl:MediaWiki}}</code> → /wiki/en/MediaWiki <code>{{localurl:MediaWiki printable=yes}}</code> → /wiki/en/MediaWiki?printable=yes	The relative path to the title.	0.7.0+
<code>{{fullurl:page name}}</code> <code>{{fullurl:page name query_string}}</code> <code>{{fullurl:interwiki:remote page name query_string}}</code>	<code>{{fullurl:Category:Top level}}</code> → http://jamwiki.org/wiki/en/Category:Top_level <code>{{fullurl:Category:Top level action=edit}}</code> → http://jamwiki.org/wiki/en/Category:Top_level?action=edit	The absolute path to the title. This will also resolve Interwiki prefixes.	0.7.0+
<code>{{filepath:file name}}</code> <code>{{filepath:file name nowiki}}</code>	<code>{{filepath:Wiki.png}}</code> → <code>{{filepath:Wiki.png nowiki}}</code> → <code>{{filepath:Example.jpg 300}}</code> → http://jamwiki.org/files/en/2011/1/Example-18120507.jpg	The absolute URL to the full size or thumbnail of a media file.	0.7.0+
<code>{{urlencode:string}}</code> (or <code>{{urlencode:string QUERY}}</code>) <code>{{urlencode:string WIKI}}</code> <code>{{urlencode:string PATH}}</code>	<code>{{urlencode:x y z á é}}</code> (or <code>{{urlencode:x y z á é QUERY}}</code>) → x+y+z+%C3%A1+%C3%A9 <code>{{urlencode:x y z á é WIKI}}</code> → x_y_z_%C3%A1_%C3%A9 <code>{{urlencode:x y z á é PATH}}</code> → x%20y%20z%20%C3%A1%20%C3%A9 Note that the default changed from WIKI to QUERY in 1.17; this may break templates that rely on this function.	The input encoded for use in URLs. Note that there is no <code>urldecode</code> function.	0.7.0+
<code>{{anchorencode:string}}</code>	<code>{{anchorencode:x y z á é}}</code> → x_y_z_%C3%A1_%C3%A9	The input encoded for use in URL section anchors (after the '#' symbol in a URL).	0.7.0+

Namespaces [edit]

`{{ns:}}` returns the current localized name for the [namespace](#) with that index, canonical name, or local alias. Thus `{{ns:6}}`, `{{ns:File}}`, and `{{ns:Image}}` (an old name for the File namespace) all return "Image". On a wiki where the content language was French, `{{ns:Fichier}}` would also be valid, but `{{ns:Datei}}` (the localisation of "File" into German) would not.

`{{nse:}}` is the equivalent encoded for JAMWiki URLs. It does the same, but it replaces spaces with underscores, making it usable in external links.

Content namespaces		Talk namespaces	
Usage	Output	Usage	Output
<code>{{ns:-2}}</code> or <code>{{ns:Media}}</code>	Media		
<code>{{ns:-1}}</code> or <code>{{ns:Special}}</code>	Special		
<code>{{ns:0}}</code> or <code>{{ns:}}</code>		<code>{{ns:1}}</code> or <code>{{ns:Comments}}</code>	Comments
<code>{{ns:2}}</code> or <code>{{ns:User}}</code>	User	<code>{{ns:3}}</code> or <code>{{ns:User comments}}</code>	User comments
<code>{{ns:4}}</code> or <code>{{ns:Project}}</code>	Project	<code>{{ns:5}}</code> or <code>{{ns:Project comments}}</code>	Project comments
<code>{{ns:6}}</code> or <code>{{ns:Image}}</code> or <code>{{ns:Image}}</code>	Image	<code>{{ns:7}}</code> or <code>{{ns:Image comments}}</code> or <code>{{ns:Image talk}}</code>	Image comments
<code>{{ns:8}}</code> or <code>{{ns:JAMWiki}}</code>	JAMWiki	<code>{{ns:9}}</code> or <code>{{ns:JAMWiki comments}}</code>	JAMWiki comments
		<code>{{ns:11}}</code> or <code>{{ns:Template}}</code>	Template

{{ns:10}} or {{ns:Template}}	Template	comments}}	comments
{{ns:12}} or {{ns:Help}}	Help	{{ns:13}} or {{ns:Help comments}}	Help comments
{{ns:14}} or {{ns:Category}}	Category	{{ns:15}} or {{ns:Category comments}}	Category comments

Formatting [edit]

Usage	Input → Output	Description	Version
{{lc:string}}	{{lc:DATA CENTER}} → data center	The lowercase input.	0.7.0+
{{lcfirst:string}}	{{lcfirst:DATA center}} → dATA center	The input with the <u>very first</u> character lowercase.	0.7.0+
{{uc:string}}	{{uc:text transform}} → TEXT TRANSFORM	The uppercase input.	0.7.0+
{{ucfirst:string}}	{{ucfirst:text TRANSFORM}} → Text TRANSFORM	The input with the <u>very first</u> character uppercase.	0.7.0+
{{formatnum:unformatted num}} {{formatnum:formatted num R}}	{{formatnum:987654321.654321}} → Template:Formatnum:987654321.654321 {{formatnum:987,654,321.654321 R}} → Template:Formatnum:987,654,321.654321 {{formatnum:00001}} → Template:Formatnum:00001	The input with decimal and decimal group separators, and localized digit script, according to the wiki's default locale. The R parameter can be used to unformat a number, for use in mathematical situations. Warning: Leading zeroes are not removed, you can use {{#expr:00001}} instead (see Help:Parser Functions)	N/A
{{#dateformat:date}} {{#formatdate:date}} {{#dateformat:date format}} {{#formatdate:date format}}	{{#dateformat:25 deC 2009 ymd}} → {{#dateformat:25 deC 2009 ymd}} (your pref), 2009 DeC 25 (default) {{#formatdate:dec 25,2009 dmy}} → {{#formatdate:dec 25,2009 dmy}} (your pref), 25 Dec 2009 (default) {{#dateformat:2009-12-25 mdy}} → {{#dateformat:2009-12-25 mdy}} (your pref), December 25, 2009 (default) {{#formatdate:2009 dec 25 ISO 8601}} → {{#formatdate:2009 dec 25 ISO 8601}} (your pref), 2009-12-25 (default) {{#dateformat:25 decEmber mdy}} → {{#dateformat:25 decEmber mdy}} (your pref), DecEmber 25 (default) Note: In the example above, "your pref" refers to your date preference on the current JAMWiki wiki only.	Formats an unlinked date based on user "Date format" preference, and adds metadata tagging it as a formatted date. For logged-out users and those who have not set a date format in their preferences, dates can be given a default: mdy, dmy, ymd, ISO 8601 (all case sensitive). If only the month and day are given, only mdy and dmy are valid. If a format is not specified or is invalid, the input format is used as a default. If the supplied date is not recognized as a valid date (specifically, if it contains any metadata such as from a nested use of these or similar templates), it is rendered unchanged, and no (additional) metadata is generated. Warning: Although the ISO 8601 standard requires that dates be in the Gregorian calendar, the ISO parameter in this function will still format dates that fall outside the usual Gregorian range (e.g. dates prior to 1583). Also, the magic word cannot properly convert between negative years (used with ISO 8601) and years BC or years BCE (used in general writing).	N/A
{{padleft:xyz stringlength}} {{padleft:xyz strlen char}} {{padleft:xyz strlen string}}	{{padleft:xyz 5}} → 00xyz {{padleft:xyz 5 _}} → __xyz {{padleft:xyz 5 abc}} → abxyz {{padleft:xyz 2}} → xyz {{padleft: 1 xyz}} → x (first character of the string)	Inserts a string of padding characters (character chosen in third parameter; default '0') of a specified length (second parameter) next to a chosen base character or variable (first parameter). The final digits or characters in the base replace the final characters in the padding; i.e. {{padleft:44 3 0}} produces 044. The padding string may be truncated if its length does not evenly divide the required number of characters.	1.2+
	{{padright:xyz 5}} → xyz00		

<code>{{padright:xyz stringlength}}</code> <code>{{padright:xyz strlen char}}</code> <code>{{padright:xyz strlen string}}</code>	<code>{{padright:xyz 5 _}}</code> → xyz__ <code>{{padright:xyz 5 abc}}</code> → xyzab <code>{{padright:xyz 2}}</code> → xyz <code>{{padright: 1 xyz}}</code> → x	Identical to padleft, but adds padding characters to the right side.	1.2+
<code>{{plural:2 is are}}</code>	<code>{{plural:0 is are}}</code> → Template:Plural:0 <code>{{plural:1*1 is are}}</code> → Template:Plural:1*1 <code>{{plural:21 mod 10 is are}}</code> → Template:Plural:21 mod 10 <code>{{plural:{{#expr:21 mod 10}} is are}}</code> → Template:Plural:1 <code>{{plural:1 is are}}</code> → Template:Plural:1 <code>{{plural:2 is are}}</code> → Template:Plural:2 (for Polish): <code>{{plural:2 milion miliony milionów}}</code> → miliony	Outputs the singular form (second parameter) if the first parameter is an expression equalling one; the plural form (third parameter) otherwise. Plural transformations are used for languages like Russian based on "count mod 10". You should not expect this to handle fractions (like 44.5).	N/A
<code>{{grammar:N noun}}</code>		Outputs the correct inflected form of the given word described by the inflection code after the colon (language-dependent). Grammar transformations are used for inflected languages like Polish. See also Manual:\$wgGrammarForms .	N/A

Miscellaneous [edit]

Usage	Output	Description	Version
<code>{{int:message name}}</code>	<code>{{int:edit}}</code> → Template:Int:edit <i>(depends on user language, try: fr · ja)</i>	Internationalizes (translates) the given interface (JAMWiki namespace) message into the user language. <i>Note that this can damage/confuse cache consistency.</i>	N/A
<code>{{#language:language code}}</code> <code>{{#language:ar}}</code> <code>{{#language:language code target language code}}</code> <code>{{#language:ar en}}</code>	language code العربية language code Arabic	The full name of the language for the given language code: native name by default, name translated in target language if a target language code is specified. Codes are mostly in accordance with ISO 639 .	1.1+
<code>{{#special:special page name}}</code> <code>{{#special:userlogin}}</code>	<code>{{#special:special page name}}</code> <code>{{#special:userlogin}}</code>	The localized name for the given canonical Special: page.	N/A
<code>{{#tag:tagname content parameter1=value1 parameter2=value2}}</code>	<i>(depends on parser tag)</i>	Alias for XML-style parser or extension tags, but parsing wiki code. Inner content can be passed as first parameter, and attributes as subsequent ones: <code><tagname attribute1="value1" attribute2="value2"> content </tagname ></code> → <code>{{#tag:tagname content attribute1=value1 attribute2=value2}}</code> Warning : You must write <code>{{#tag:tagname attribute1=value1 attribute2=value2}}</code> to pass an empty content. No space is permitted between the and the attribute name.	N/A
<code>{{gender:username return text if user is male return text if user is female return text if user hasn't defined their gender}}</code>	<i>(depends on the named user's gender)</i>	A switch for the gender set in Special:Preferences Note: If 3rd parameter is omitted and user hasn't defined his/her gender, then <i>text if user is male</i> is returned.	N/A

Categories: [User Documentation](#)

